

Docket Number: 008312-0306858

PATENT APPLICATION

Client Reference: T2TT-03S0444-1

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In Re the Application of

KOJI YANO

Group Art Unit:

Application No.:

Examiner: UNKNOWN

Filed: November 18, 2003

Confirmation No.: UNKNOWN

For: METHOD FOR SERVO WRITING AND DISK DRIVE WITH SERVO CONTROL SYSTEM

INFORMATION DISCLOSURE STATEMENT

Commissioner for Patents
Mail Stop Patent Applications
P. O. Box 1450
Alexandria, VA 22313-1450


Sir:

Pursuant to 37 CFR 1.56, the attention of the Patent and Trademark Office is hereby directed to the reference(s) listed on the attached PTO-1449. Unless otherwise indicated herein, one copy of each reference is attached. It is respectfully requested that the information be expressly considered during the prosecution of this application, and that the reference(s) be made of record therein and appear among the "References Cited" on any patent to issue therefrom.

This Information Disclosure Statement is being filed (a) within three months of the U.S. filing date of this non-CPA application, OR (b) before the mailing date of the first Office Action on the merits in the present application. No certification or fee is required.

Relevance of the non-English language references are discussed in the present specification and/or in the attached Background Art Information Sheet and English-language Abstract of the non-English language references.

Respectfully submitted,



Glenn J. Perry
Registration Number 28458

Date: November 18, 2003
PILLSBURY WINTHROP LLP
Telephone: (703) 905-2000
Facsimile: (703) 905-2500
P.O. Box 10500
McLean, VA 22102

□□

Atty.
Dkt. No.

M#

Client Ref.

0306858

T2TT-03S0444-1

**INFORMATION DISCLOSURE STATEMENT
BY APPLICANT**

Applicant: KOJI YANO

Appln. No.: UNASSIGNED

Filing Date: November 18, 2003

Date: November 18, 2003

Page

1

of

1

Examiner: UNKNOWN

Group Art Unit: UNKNOWN

U.S. PATENT DOCUMENTS

Examiner's Initials*	Document Number	Date MM/YYYY	Name (Family Name of First Inventor)	Class	Sub Class	Filing Date (if appropriate)
	AR					
	BR					
	CR					
	DR					
	ER					
	FR					
	GR					
	HR					
	IR					
	JR					
	KR					
	LR					
	MR					
	NR					

FOREIGN PATENT DOCUMENTS

		Document Number	Date MM/YYYY	Country	Inventor Name	English Abstract		Translation Readily Available	
						Enclosed	No	Enclose	No
	OR	2000-268516	09/2000	Japan	Akagi	X			X
	PR	2001-189062	07/2001	Japan	Yamamoto	X			X
	QR								
	RR								
	SR								
	TR								
	UR								
	VR								
	WR								
	XR								

OTHER (Including in this order: Author, Title, Periodical Name, Date, Pertinent Pages, etc.)

	YR								
	ZR								
	AAR								
	BBR								
	CCR								
	DDR								

Examiner

Date Considered:

*EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP § 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to Applicant.

Translation of the attached sheet (Japanese text portions only)
Background Art Information

Patent No./Publication	Inventor(s)/Author(s)	Date etc					
<p>*Concise Explanation</p> <p align="center">No particular comments to make.</p>							
<p>*Concise Explanation</p>							
<p>Prior Applications of Inventors or of Kabushiki Kaisha Toshiba (Assignee)</p> <table style="width: 100%; border: none;"> <tr> <td style="width: 25%;">Application No.</td> <td style="width: 25%;">Toshiba Reference</td> <td style="width: 15%;">Country</td> <td style="width: 15%;">Agent</td> <td style="width: 20%;">memo</td> </tr> </table>			Application No.	Toshiba Reference	Country	Agent	memo
Application No.	Toshiba Reference	Country	Agent	memo			
<p>Inventor(s)</p> <p>Signature & Date</p>							

<p>Patent engineer's comment on inventor's information or patent engineer's information</p>					
<p>Jpn. Pat. Appln. KOKAI Publication No. 2000-268516; Hitachi, Ltd.</p> <p>This publication discloses that servo data is written with the head moving from the outermost periphery of a disk medium to a radial location wherein the skew angle is zero.</p> <p>Jpn. Pat. Appln. KOKAI Publication No. 2001-189062; Toshiba Corporation</p> <p>This publication discloses that servo data is written with the head moving from the innermost periphery of a disk medium to a radial location wherein the skew angle is zero.</p> <p>*</p>					
<p>Checked by</p>	<p>Dated</p>				
<table style="width: 100%; border: none;"> <tr> <td style="width: 33%; text-align: center;">Toshiba Reference</td> <td style="width: 33%; text-align: center;">Japanese Agent's Ref</td> <td style="width: 34%; text-align: center;">sheet</td> </tr> </table>			Toshiba Reference	Japanese Agent's Ref	sheet
Toshiba Reference	Japanese Agent's Ref	sheet			